

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

THIS PAGE BLANK (USPTO)

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
21 March 2002 (21.03.2002)

PCT

(10) International Publication Number
WO 02/23598 A2

(51) International Patent Classification⁷: **H01L 21/00**

Wappingers Falls, NY 12590 (US). **CHEN, Kuang, Jung**;
19 Panessa Drive, Poughkeepsie, NY 12603 (US). **MACK**,
George; P.O. Box 139, Pleasant Valley, NY 12569 (US).

(21) International Application Number: **PCT/US01/42148**

(22) International Filing Date:
14 September 2001 (14.09.2001)

(74) Agents: **BRADEN, Stanton, C. et al.**; Siemens Corpora-
tion, Intellectual Property Dept., 186 Wood Avenue South,
Iselin, NJ 08830 (US).

(25) Filing Language: English

(81) Designated States (*national*): JP, KR.

(26) Publication Language: English

(84) Designated States (*regional*): European patent (AT, BE,
CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC,
NL, PT, SE, TR).

(30) Priority Data:
09/662,684 15 September 2000 (15.09.2000) US

(71) Applicants: **INFINEON TECHNOLOGIES NORTH
AMERICA CORP.** [US/US]; 1730 North First Street,
San Jose, CA 95112-4508 (US). **INTERNATIONAL
BUSINESS MACHINES CORPORATION** [US/US];
New Orchard Road, Armonk, NY 10504 (US).


Published:

- without international search report and to be republished
upon receipt of that report
- entirely in electronic form (except for this front page) and
available upon request from the International Bureau

(72) Inventors: **LU, Zhijian**; 510 Maloney Road, Poughkeep-
sie, NY 12603 (US). **MOREAU, Wayne**; 10 Lydia Drive,

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: A METHOD TO REDUCE POST-DEVELOPMENT DEFECTS WITHOUT SACRIFICING THROUGHPUT



(57) Abstract: Post-development defects in the manufacture of semiconductor devices through the use of surfactants incorporated in the rinse water or the developer for the resist. The surfactants effectively remove resist defects in or around the resist pattern without attacking the resist itself.

WO 02/23598 A2

A METHOD TO REDUCE POST-DEVELOPMENT DEFECTS WITHOUT SACRIFICING THROUGHPUT

DESCRIPTION

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention generally relates to the manufacture of semiconductor devices and, more particularly, to a method to reduce post-development defects in semiconductor devices without sacrificing throughput.

Background Description

As the minimum feature size of semiconductor devices becomes smaller and smaller, defect control becomes more and more important and challenging particularly for achieving a high product yield. Starting from the qualification of 256M DRAM (Dynamic Random Access Memory) technology, a class of special defects so called "Blob Defects" was discovered on a nested contact hole level of bit line contact CB when using chrome on glass and JSR M20G resist. Later on, it was found that blob defects exist in almost all DUV resist, such as Shipley UV2HS, UV6HS and JSR M60G, regardless of whether it is ESCAP resists or Acetal resists. Actually, the better the resist contrast and surface inhibition is, usually the higher the blob density is. Therefore, selection of contact hole resists for patterning even smaller contact hole size has to face a compromise between defect density and resist lithographic performance, which is not compatible with the trend of low k1 printing. Moreover, no resist evaluated so far shows zero blob density. Blob defects become a limiting factor in resist selection and yield enhancement.

SUMMARY OF THE INVENTION

It is therefore an object of the present invention to minimize or eliminate post-development defects.

It is another object of the invention to improve product yield by preventing missing patterns caused by defects.

It is also an object to minimize pattern collapse.

According to the invention, surfactants are incorporated into rinse water or the resist developer. The surfactants effectively remove resist defects in or around the resist pattern without attacking resist itself.

BRIEF DESCRIPTION OF THE DRAWINGS

The foregoing and other objects, aspects and advantages will be better understood from the following detailed description of a preferred embodiment of the invention with reference to the drawings, in which:

Figure 1 is a scanning electron microscope (SEM) microphotograph showing a blob defect; and

Figure 2 is a graph showing the effect of surfactant-containing water on defect removal.

DETAILED DESCRIPTION OF A PREFERRED EMBODIMENT OF THE INVENTION

Referring now to the drawings, and more particularly to Figure 1, there is shown the morphology of a typical blob defect. This type of defect potentially limits feature size of semiconductor devices and reduces product yield.

The invention incorporates suitable surfactants into rinse de-ionized

(DI) water for defect removal. The surfactant containing DI water would be applied to the resist after patterning and development of the resist. The concentration of surfactants can range from 0.001 to 10%. In a preferred embodiment, the surfactant used was ammonium lauryl sulfate in a concentration ranging from 0.01% to 1%. However, any surfactants with a similar hydrophilic-lipophilic balance (HLB) to ammonium lauryl sulfate will work in removing defects. The surfactant-containing water rinse can be conducted in either a dynamic way (streamline) or a static way (puddle rinse). The time of application can vary from a few seconds to hundreds of seconds. The temperature range can vary from 10°C to 100°C. The surfactants can also be incorporated directly into the developer for defect removal.

Figure 2 shows the effect of surfactant-containing water on defect removal. The resist used in these experiments were Shipley UV83 530nm plus Shipley ARC AR3 90nm. Wafers 1 and 2 were rinsed with surfactant containing de-ionized water, while wafers 3 and 4 were rinsed with de-ionized water without surfactants. Under the exactly same process conditions, the use of surfactant-containing rinse water leads to three orders of magnitude of defect reduction compared to that of pure DI water rinse.

While the invention has been described in terms of a single preferred embodiment, those skilled in the art will recognize that the invention can be practiced with modification within the spirit and scope of the appended claims.

CLAIMS

Having thus described our invention, what we claim as new and desire to secure by Letters Patent is as follows:

1. A method to reduce post-development defects in the manufacture of semiconductor devices comprising the steps of:
incorporating suitable surfactants into one of de-ionized rinse water and resist developer; and
applying the surfactant containing de-ionized rinse water or resist developer to a patterned resist on a semiconductor substrate.
2. A method as in claim 1, wherein said surfactants have a concentration ranging from 0.001 to 10%.
3. A method as in claim 1, wherein the surfactant is ammonium lauryl sulfate.
4. A method as in claim 3, wherein the ammonium lauryl sulfate has a concentration ranging from 0.01 to 1%.
5. A method as in claim 1, wherein said surfactants are incorporated directly into said resist developer.
6. A method as in claim 1, wherein said surfactants are incorporated into said de-ionized rinse water used in a dynamic rinse process.
7. A method as in claim 1, wherein said surfactants are incorporated into said de-ionized rinse water used in a static rinse process.
8. A method as in claim 1, wherein said surfactants are incorporated into said

5

de-ionized rinse water used in a rinse process lasting between 1 and 1000 seconds.

9. A method as in claim 6, wherein the temperature of said surfactants containing rinse water ranges from 10°C-100°C.

10. A method as in claim 9, wherein the surfactant is ammonium lauryl sulfate.

11. A method as in claim 10, wherein the ammonium lauryl sulfate has a concentration ranging from 0.01 to 1%.

12. A resist developer used or developing resists used in semiconductor manufacture, said resist developer containing a surfactant.

13. The resist developer as in claim 12, wherein the surfactant is ammonium lauryl sulfate.

14. The resist developer as in claim 13, wherein the ammonium lauryl sulfate has a concentration ranging from 0.01 to 1%.

15. A rinse for rinsing developed resists used in semiconductor manufacturer comprising de-ionized water and a surfactant.

16. The rinse as in claim 15, wherein the surfactant is ammonium lauryl sulfate.

17. The rinse as in claim 16, wherein the ammonium lauryl sulfate has a concentration ranging from 0.01 to 1%.




FIG. 1




FIG. 2

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
21 March 2002 (21.03.2002)

PCT

(10) International Publication Number
WO 02/23598 A3

(51) International Patent Classification⁷: **G03F 7/32**,
C11D 11/00, G03F 7/40

19 Panessa Drive, Poughkeepsie, NY 12603 (US). **MACK, George**; P.O. Box 139, Pleasant Valley, NY 12569 (US).

(21) International Application Number: PCT/US01/42148

(74) Agents: **BRADEN, Stanton, C. et al.**; Siemens Corporation, Intellectual Property Dept., 186 Wood Avenue South, Iselin, NJ 08830 (US).

(22) International Filing Date:
14 September 2001 (14.09.2001)

(81) Designated States (*national*): JP, KR.

(25) Filing Language: English

(84) Designated States (*regional*): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).

(26) Publication Language: English

(30) Priority Data:
09/662,684 15 September 2000 (15.09.2000) US

Published:

— with international search report

— entirely in electronic form (except for this front page) and available upon request from the International Bureau


(71) Applicants: **INFINEON TECHNOLOGIES NORTH AMERICA CORP.** [US/US]; 1730 North First Street, San Jose, CA 95112-4508 (US). **INTERNATIONAL BUSINESS MACHINES CORPORATION** [US/US]; New Orchard Road, Armonk, NY 10504 (US).

(88) Date of publication of the international search report:
13 June 2002

(72) Inventors: **LU, Zhijian**; 510 Maloney Road, Poughkeepsie, NY 12603 (US). **MOREAU, Wayne**; 10 Lydia Drive, Wappingers Falls, NY 12590 (US). **CHEN, Kuang, Jung**;

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: A METHOD TO REDUCE POST-DEVELOPMENT DEFECTS WITHOUT SACRIFICING THROUGHPUT



WO 02/23598 A3

(57) Abstract: Post-development defects in the manufacture of semiconductor devices through the use of surfactants, such as ammonium lauryl sulfate, incorporated in the rinse water or the developer for the resist. The surfactants effectively remove resist defects in or around the resist pattern without attacking the resist itself.

INTERNATIONAL SEARCH REPORT

Internal Application No

PCT/US 01/42148

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 G03F7/32 C11D11/00 G03F7/40

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G03F C11D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, CHEM ABS Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 852 743 B (CLARIANT INT LTD) 17 January 1999 (1999-01-17) claims; examples ---	1-3,12, 13,15-17
X	US 5 741 628 A (ENDO MASAYUKI ET AL) 21 April 1998 (1998-04-21) column 15, line 30 - line 46 column 16, line 55 -column 17, line 10 ---	1-4,9,15
X	US 5 286 606 A (RAHMAN M DALIL ET AL) 15 February 1994 (1994-02-15) claims; examples ---	1,12
X	WO 99 53381 A (ETEC SYSTEMS INC) 21 October 1999 (1999-10-21) claims ---	1,12

	-/--	

X

Further documents are listed in the continuation of box C.

☒

Patent family members are listed in annex.

° Special categories of cited documents :

- * "A" document defining the general state of the art which is not considered to be of particular relevance
- * "E" earlier document but published on or after the international filing date
- * "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- * "O" document referring to an oral disclosure, use, exhibition or other means
- * "P" document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *G* document member of the same patent family

Date of the actual completion of the international search

11 March 2002

Date of mailing of the international search report

15/03/2002

Name and mailing address of the ISA
European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+31-70) 340-3016

Authorized officer

Heywood, C

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 01/42148

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 543 268 A (KOMANO HIROSHI ET AL) 6 August 1996 (1996-08-06) claims; examples ---	1,12
X	US 5 164 286 A (BLAKENEY ANDREW J ET AL) 17 November 1992 (1992-11-17) claims ---	1,12
X	US 5 731 132 A (ELTGEN MARLIES ET AL) 24 March 1998 (1998-03-24) column 2, line 23 - line 28; claims; examples ---	1,12
X	US 4 824 769 A (LEWIS JAMES M ET AL) 25 April 1989 (1989-04-25) claims; examples ---	1,12
X	US 4 613 561 A (LEWIS JAMES M) 23 September 1986 (1986-09-23) claims; examples ---	1,12
X	US 5 977 041 A (HONDA KENJI) 2 November 1999 (1999-11-02) claims; examples ---	15
P,X	US 6 136 514 A (PHAN KHOI A ET AL) 24 October 2000 (2000-10-24) column 4, line 1-64; claims ---	1,15-17
P,X	WO 01 63365 A (SHIPLEY CO LLC) 30 August 2001 (2001-08-30) claims; examples -----	1,12,15

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 01/42148

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0852743	B	15-07-1998	US 5750031 A	12-05-1998
			DE 69605207 D1	23-12-1999
			DE 69605207 T2	13-07-2000
			EP 0852743 A1	15-07-1998
			JP 11512845 T	02-11-1999
			CN 1196806 A	21-10-1998
			WO 9712281 A1	03-04-1997
US 5741628	A	21-04-1998	EP 0691674 A2	10-01-1996
			EP 0883163 A2	09-12-1998
			JP 9230606 A	05-09-1997
			JP 2656913 B2	24-09-1997
			JP 8076385 A	22-03-1996
			KR 174316 B1	01-04-1999
			US 5658711 A	19-08-1997
			US 5679500 A	21-10-1997
US 5286606	A	15-02-1994	DE 69308326 D1	03-04-1997
			DE 69308326 T2	15-01-1998
			EP 0677183 A1	18-10-1995
			HK 70897 A	06-06-1997
			JP 8505241 T	04-06-1996
			SG 47545 A1	17-04-1998
			WO 9415262 A1	07-07-1994
WO 9953381	A	21-10-1999	AU 3386599 A	01-11-1999
			EP 0991983 A1	12-04-2000
			WO 9953381 A1	21-10-1999
			US 6107009 A	22-08-2000
			US 6200736 B1	13-03-2001
US 5543268	A	06-08-1996	US 6329126 B1	11-12-2001
US 5164286	A	17-11-1992	NONE	
US 5731132	A	24-03-1998	DE 4419166 A1	07-12-1995
			CN 1117599 A	28-02-1996
			DE 59508636 D1	21-09-2000
			EP 0685767 A1	06-12-1995
			JP 7333863 A	22-12-1995
			SG 34226 A1	06-12-1996
US 4824769	A	25-04-1989	US 4670372 A	02-06-1987
			CA 1265373 A1	06-02-1990
			DE 3580443 D1	13-12-1990
			EP 0178496 A2	23-04-1986
			JP 1851404 C	21-06-1994
			JP 5062984 B	09-09-1993
			JP 61097652 A	16-05-1986
			KR 8900803 B1	07-04-1989
US 4613561	A	23-09-1986	CA 1261194 A1	26-09-1989
			CN 85107347 A	20-08-1986
			DE 3576742 D1	26-04-1990
			EP 0178495 A2	23-04-1986
			JP 1863222 C	08-08-1994
			JP 5073227 B	13-10-1993
			JP 61097653 A	16-05-1986

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 01/42148

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 4613561	A		KR 8900804 B1	07-04-1989
US 5977041	A	02-11-1999	AU 9497398 A	12-04-1999
			EP 1017770 A1	12-07-2000
			JP 2001517728 T	09-10-2001
			WO 9915609 A1	01-04-1999
US 6136514	A	24-10-2000	US 6251570 B1	26-06-2001
WO 0163365	A	30-08-2001	AU 3869601 A	03-09-2001
			WO 0163365 A1	30-08-2001
			US 2002001780 A1	03-01-2002